

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	173	@ad<"20000327" and 380/262.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/05 12:00
L2	99	@ad<"20000327" and 380/260.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/05 12:00
L3	82	(1 2) and interface	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2005/03/05 12:00
S1	168	@ad<"20000327" and 380/262.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 14:41
S2	195	@ad<"20000327" and encryption and select\$6 with algorithm and seed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:14
S3	181	(@ad<"20000327" and encryption and select\$6 with algorithm and seed) and random	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:15
S4	112	(@ad<"20000327" and encryption and select\$6 with algorithm and seed) and random with generator	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:15
S5	65	((@ad<"20000327" and encryption and select\$6 with algorithm and seed) and random with generator) and buffer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:15
S6	156	@ad<"20000327" and 380/239.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:27
S7	718	@ad<"20000327" and interface with device same encrypt\$6	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:28
S8	180	(@ad<"20000327" and interface with device same encrypt\$6) and signal with select\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:28
S9	21	(@ad<"20000327" and interface with device same encrypt\$6) and signal with select\$3 with (algorithm pattern technique method)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:44

S10	1	"5,995,628".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:44
S11	4	("4368357"   "4987595"   "5029206"   "5365591").PN.	USPAT	OR	ON	2004/08/23 10:44
S12	7	"5995628".URPN.	USPAT	OR	ON	2004/08/23 10:44
S13	90	(@ad<"20000327" and 380/262. ccls.) and switch	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/23 10:49
S14	4679876	@ad<"20000327"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:21
S15	5734	@ad<"20000327" and (multiple several) near2 (algorithm generator)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:22
S16	252	@ad<"20000327" and (multiple several) near2 (algorithm generator) and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:28
S17	21	@ad<"20000327" and (multiple several) near2 (algorithm generator) with select\$3 and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:45
S18	1	"4,642,688".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:31
S19	4741	@ad<"20000327" and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:46
S20	358	@ad<"20000327" and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:47
S21	72	(@ad<"20000327" and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption) and seed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:47
S22	29	(@ad<"20000327" and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption) and seed with encrypt\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 09:47

S23	4679876	@ad<"20000327"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:39
S24	108	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:06
S25	117	@ad<"20000327" and 380/33.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:14
S26	73	@ad<"20000327" and (integrated adj circuit IC) with communicat\$5 with encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:14
S27	33	((@ad<"20000327" and (integrated adj circuit IC) with communicat\$5 with encrypt\$5) and generator	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:14
S28	45	((@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and generator	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:44
S29	80	((@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and select\$4	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:43
S30	5	("4352952"   "5325430"   "5623637"   "5729680"   "6167513").PN.	USPAT	OR	ON	2004/08/24 12:43
S31	29	("4092524"   "4271482"   "4310720"   "4467139"   "4471216"   "4544833"   "4549075"   "4638120"   "4656342"   "4656474"   "4907270"   "4907272"   "4910774"   "5068894"   "5377264"   "5396609"   "5428685"   "5473692"   "5483596"   "5530753"   "5539828"   "5559883"   "5568552"   "5596718"   "5615263"   "5796840"   "5805706"   "5805712"   "5828753").PN.	USPAT	OR	ON	2004/08/24 12:43
S32	38	((@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and select\$4) and generator	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:44
S33	117	@ad<"20000327" and 380/33.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:52

S34	2	(@ad<"20000327" and 380/33.ccls. ) and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:53
S35	2	(@ad<"20000327" and 380/33.ccls. ) and (integrated adj circuit IC) with (communicat\$5 transmit\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 12:53
S36	17	(@ad<"20000327" and 380/33.ccls. ) and (integrated adj circuit IC ASIC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:00
S37	0	(@ad<"20000327" and 380/33.ccls. ) and (integrated adj circuit IC ASIC) with ports with (transmit\$2 send\$2 communicat\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:40
S38	709	@ad<"20000327" and (integrated adj circuit IC ASIC) with ports with (transmit\$2 send\$2 communicat\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:01
S39	2587	@ad<"20000327" and (integrated adj circuit IC ASIC) with (ports channel line) with (transmit\$2 send\$2 communicat\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:01
S40	21	@ad<"20000327" and (integrated adj circuit IC ASIC) with (ports channel line) with (transmit\$2 send\$2 communicat\$6) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:03
S41	6	"6209098".URPN.	USPAT	OR	ON	2004/08/24 15:06
S42	60	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:40
S43	76	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:43
S44	36	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (random\$6 vary\$5 chang\$6 configur\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:42
S45	34	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (random\$6 vary\$5 chang\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:45

S46	24	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (configur\$6 vary\$5 chang\$6)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:51
S47	1	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (configur\$6 vary\$5 chang\$6) near3 (channel port)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 13:46
S48	48	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (control)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:11
S49	0	@ad<"20000327" and 710/108.ccls. and "380"/\$.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:12
S50	2	@ad<"20000327" and 710/108.ccls. and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:13
S51	347	@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) and configur\$5 with port with (signal message control)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:49
S52	35	(@ad<"20000327" and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) and configur\$5 with port with (signal message control)) and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 14:45
S53	232	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:10
S54	2	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and seed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:09
S55	219	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:11

S56	178	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal with (integrated adj circuit IC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:17
S57	93	@ad<"20000327" and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal with (integrated adj circuit IC) and interface with (integrated adj circuit IC)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/24 15:18
S58	3	("4974181"   "5172116"   "5291197").PN.	USPAT	OR	ON	2004/08/25 09:53
S59	1	"6522274".URPN.	USPAT	OR	ON	2004/08/25 09:53
S60	296	@ad<"20000327" and random adj number adj generator and noise and seed	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 10:16
S61	25	@ad<"20000327" and random adj number adj generator and noise and seed with (shared common)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 10:17
S62	22	"5778069".URPN.	USPAT	OR	ON	2004/08/25 10:20
S63	0	"6044388".URPN.	USPAT	OR	ON	2004/08/25 10:29
S64	0	"6044388".URPN.	USPAT	OR	ON	2004/08/25 10:29
S65	12	("4211891"   "5241598"   "5369706"   "5412721"   "5420925"   "5621799"   "5727062"   "5740249"   "5748734"   "5778069"   "5802175"   "6122379").PN.	USPAT	OR	ON	2004/08/25 12:27
S66	8	(US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$). did.	USPAT	OR	OFF	2004/08/25 13:08
S67	0	((US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$). did.) and resin	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 13:08
S68	0	((((US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$). did.) and resin) and integrated adj circuit same encryption and resin	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 13:09

S69	4679876	@ad<"20000327"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 13:09
S70	6	@ad<"20000327" and integrated adj circuit same encryption and resin	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/25 13:11